



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/736,111	12/12/2003	Jong Kil	A03P1079US01	3654
36802	7590	07/20/2005	EXAMINER	
PACESETTER, INC. 15900 VALLEY VIEW COURT SYLMAR, CA 91392-9221			GREENE, DANA D	
			ART UNIT	PAPER NUMBER
			3762	

DATE MAILED: 07/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

6

Office Action Summary	Application No. 10/736,111	Applicant(s) KIL ET AL.	
	Examiner Dana D. Greene	Art Unit 3762	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 December 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>12/12/03</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

Claim 13 has been objected to because of the following informalities: Claim 13 is improperly numbered and should be renumbered claim 12. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-3, 6-7, and 10-16 stand rejected under 35 U.S.C. §102(e) as being anticipated by Kroll et al. (US 6,813,514, hereinafter "Kroll"). Kroll is considered to disclose:

a method for emulating a surface electrocardiogram (EKG) of a patient in which an implantable cardiac stimulation device is implanted, the method comprising:

sensing a cardiac signal within the heart (see abstract and col. 8, ln. 44-56, Kroll). The disclosed technique is considered to anticipate the claimed method because both emulate surface electrocardiograms (EKG) using signals detected by the internal leads of an implanted device. In this connection, Kroll discloses the method of sensing cardiac signals as depicted in Figure 1;

distinguishing portions of the cardiac signal corresponding to atrial signals from those corresponding to ventricular signals (see col. 29, ln. 24-30, Kroll). The disclosed step of generating separate sets of distinguishing between P-waves and QRS complexes is considered to anticipate the claimed method of distinguishing portions of the signal corresponding to atrial signals from those corresponding to ventricular signals because both techniques differentiate between the two portions of the cardiac signal. In this connection, it is known that the normal contraction of the atrial heart muscle tissue appears as a P-wave and the normal contraction of ventricular muscle tissue appears as an R-wave (sometimes referred to as the "QRS complex");

adjusting relative amplitudes of the portions of the cardiac signal corresponding to atrial signals and the portions corresponding to ventricular signals so as to yield an emulated surface EKG (see col. 11, ln. 3-63, Kroll). The disclosed means for modifying the operating parameters used by the microcontroller are considered to anticipate the claimed adjustment of the relative amplitudes because both enhance the performance of emulation by the implanted device by adjusting the amplitude to improve the operations of the device.

With reference to claim 2, Kroll is considered to disclose:

the method wherein sensing a cardiac signal is performed to sense an atrial unipolar signal using a lead implanted within the heart (see col. 1, ln. 33-43, Kroll). The disclosed means of sensing cardiac signals using leads mounted within the heart is considered to anticipate the claimed method of cardiac signal sensing because both sense cardiac signals and provide chamber stimulation therapy.

Referring to claims 3 and 16, Kroll is considered to disclose:

the method wherein distinguishing portions of cardiac signals comprises: identifying near-field atrial signals within the atrial unipolar signal and identifying far-field ventricular signals within the atrial unipolar signal (see col. 20, ln. 47- col. 21, ln. 10, and see col. 11, ln. 3-63, Kroll). The disclosed emphasis on particular signal vectors that are useful during particular phases is considered to anticipate the method of cardiac signal distinction because both combine selected portions of signals sensed within the atria with selected portions of signals sensed within the ventricles to generate a reasonably accurate surface EKG emulation without the need for complex signal processing algorithms. Further, the disclosed means for modifying the operating parameters used by the microcontroller are considered to anticipate the claimed adjustment of the relative amplitudes because both enhance the performance of emulation by the implanted device by adjusting the amplitude to improve the operations of the device.

With reference to claims 6-7, Kroll is considered to teach:

the method wherein sensing cardiac signal is performed to sense a cross-chamber signal between an atrial electrode and a ventricular electrode and wherein distinguishing portions of the cardiac signals comprises: identifying atrial signals within the cross-chamber signal; and identifying ventricular signals within the cross-chamber signal (see col. 8, ln. 44-56, Kroll). The disclosed method sensing atrial and ventricular cardiac signals and provides chamber pacing therapy.

Referring to claim 10, Kroll is considered to disclose:

The method where the atrial electrode is a right atrial tip electrode, a right atrial ring electrode, an SVC coil electrode, a left atrial ring electrode, a left atrial coil electrode or a transseptal atrial electrode and wherein the ventricular tip electrode, a right ventricular ring electrode, a right ventricular coil electrode, a left ventricular tip electrode, a left ventricular ring or a ventricular epicardial electrode (see col. 9, ln. 1-43, Kroll).

With reference to claim 11, Kroll is considered to disclose:

the method wherein adjusting relative amplitudes of the portions of the cardiac signal further comprises smoothing the adjusted signal (see col. 4, ln. 44-58 and col. 11, ln. 52-62, Kroll). The disclosed means for modifying the operating parameters used by the microcontroller are considered to anticipate the claimed adjustment of the relative amplitudes because both enhance the performance of emulation by the implanted device by adjusting the amplitude to improve the operations of the device. In this connection, the disclosed technique of processing the signal is considered to anticipate the claimed method of smoothing the adjusted signal because both remove or adjust the unwanted part of the signal.

Referring to claims 12 and 13, Kroll is considered to teach:

the method further comprising controlling device functions based, in part, on the emulated surface EKG and the method performed entirely by the implantable medical device (see col. 4, ln. 44-58, Kroll). The disclosed emulation technique is considered to anticipate the claimed techniques because both advocate the emulation technique performed by the implanted device itself and controlling the implanted device functions.

With reference to claim 14, Kroll is considered to disclose:

The method performed by the implantable medical device in combination with a device external to the patient and further comprising transmitting the cardiac signal to the external device and wherein the steps of distinguishing portions of the cardiac signals and adjusting relative amplitudes of the portions of the cardiac signal to yield and emulated surface EKG are performed by the external device (see col. 4, ln. 44-58 and col. 11, ln. 53-63, Kroll).

Referring to claim 15, Kroll is considered to disclose:

input circuitry operative to input a cardiac signal sensed by a device implanted within the patient using at least one electrode implanted within the heart (see col. 9, ln. 60-67 and col. 10, ln. 30-34, Kroll). The disclosed input circuit is considered to anticipate the claimed circuitry because both control the various modes of stimulation therapy and control the transmission of input signals, such as cardiac signals input within the patient;

a surface EKG emulation controller operative to distinguish portions of the cardiac signal corresponding to atrial signals from those corresponding to ventricular signals and to adjust relative amplitudes of the portions of the cardiac signal corresponding to atrial signals and the portions corresponding to ventricular signals so as to yield an emulated surface EKG (see col. 10, ln. 53-66, Kroll). The disclosed controller is considered to anticipate the claimed emulation controller because both are able to trigger or inhibit the atrial and ventricular and ventricular pulse generators in response to cardiac activity.

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 4-5 and 8-9 are rejected under 35 U.S.C. §103(a) as being unpatentable over Kroll. Kroll is considered to disclose the claimed invention as discussed above, under the anticipatory rejection, except for the claimed predetermined ration range of 1:4 to 1:10. It would have been obvious to one having ordinary skill in the art at the time the invention was made to adjust the atrial and ventricular portions so as to achieve for a predetermined ration of peak atrial to peak ventricular signal amplitudes in the range of 1:4 to 1:10, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art (see *In re Aller*, 105 USPQ 233).

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Omum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

Claims 1-16 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-16 of U.S. Patent No. 6,813,514. Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims are directed to obvious variations of emulation of signals of the surface EKG and techniques to process the signals. It would have been obvious to one of ordinary skill in the art to make slight variations to the functional components of the emulation system in order to generate a combined surface EKG, as opposed to emulating each of the individual signals of the surface EKG. A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).


Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dana D. Greene whose telephone number is (571) 272-7138. The examiner can normally be reached on M-F 9-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Dana D. Greene


George Manuel
Primary Examiner